

---

## 1.Scan "restore factory Settings" to back the default state.



Restore factory setting

## 2.Connect PC/ Mobile device by 2.4G wireless mode




S1 Entry setting



S2 2.4G




S3 connect Dongle



S4 Exit setting

## 3、 Connect PC/Mobile device by Bluetooth



S1 Entry setting



S2 Bluetooth HID



S3 Entry search



S4 Exit setting

## 4. Working mode

### 1)、Engtry working mode setting




Entry mode setting

### 2)、Choose mode



Normal mode




Inventory mode

### 3)、Inventory setting mode



Show the total number



Upload data



Clear data

Note:when you store the data and has been released, you also need to empty the existing scanning clear data.Because the device don't delete the last time the data stored by default.Recommended inventory good configuration and back to normal mode after power off.

## 5.Common Suffix setting



Entry seting




Add CR Suffix




Add LF Suffix



Add CR+LF Suffix



Add TAB Suffix



Clear all Suffix



Exit setting


### 1) *User-defined Prefix/Suffix*

Before adding suffixes/please scan "Settings" - > "Settings/before the suffix, scan again before you required in appendix A suffix content (up to add 32 bytes), and scanning" exit Settings ".


Before deleting/suffix please scan "to enter Settings" - > "Settings/before the suffix, and then directly scanning" exit Settings ".



Entry setting




Setting Prefix




Setting Suffix

---


## Appendix A




SHO




BEL




STX



Back Space



ERX



LF



EOT



VT



ENQ



FF



ACK



CR




Tab



F6



F1



F7




F2



F8



F3



F9



F4



F10



F5



F11



F12




US




FS



Space



GS



!





RS



“



SUB



#



Esc



\$



%



+



&



,



,



-




(




.



)



/




\*



0



1



7




2



8



3



9




4



:



5




<



6




=




C



>




D



?



E




@



F



A




G



B




H



I



O



J



P



K



Q



L



R



M




S



N




T



U



[



V



\



W



]



X



^



Y



-



Z



,



a



g



b



h



c



i






d




j



e



k



f



l



m



s



n



t




o



u



p



v



q



w



r



x




y



z



{



|



}



~



DEL